

**To:** Myers, Craig[Myers.Craig@epa.gov]  
**From:** Robinson, David  
**Sent:** Sat 8/8/2015 3:59:07 AM  
**Subject:** Re: Analytical requirements

I'll give you a call. Just want to make sure we're not missing anything.

Dave

*Sent from my Verizon Wireless 4G LTE DROID*

"Myers, Craig" <Myers.Craig@epa.gov> wrote:

Call me tomorrow and we'll discuss. I've sent the other regions what we're running, so I'm surprised there are differences.

Sent from my iPad

On Aug 7, 2015, at 9:33 PM, Robinson, David <[David.Robinson@WestonSolutions.com](mailto:David.Robinson@WestonSolutions.com)> wrote:

I'm seeing tasking and lab procurement info from the different regions for the Gold King response and see some differences in the parameter lists between the regions. I just wanted to check with you to see that we're collecting the correct set of tests. Is there an official communication for R8 that we can go by for the surface water sampling?

Thanks,

Dave

*Sent from my Verizon Wireless 4G LTE DROID*

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.